Writing Exercises Math 290 Spring 2021 Dr. Beezer

This is the "overall cover sheet". Please read it carefully, and understand that comments on your proofs may refer you back here.

Specific Instructions:

- Use CoCalc to make a PDF (links on course page). You may wish to make local copies to preserve your work.
- Include your name on each page. Do not print anything on the back side of any of page. **Staple** your work together, with this cover sheet on top, and each problem stapled individually.
- Examples are not proofs, and may not be used as justifications for general statements.
- Your audience is your peers in this course, not me. You may quote acronyms without providing any kind of reference. This means repeating whole theorems or definitions verbatim from the text is not necessary and is counter-productive.
- Write with complete sentences. You are **required** to use $\[mathbb{E}T_{\rm E}X\]$ as necessary. For example, **every** single symbol should be treated as math. So a matrix A would be surrounded by dollar signs. All vectors need to be bold (**v**) or need to have arrows (\vec{v}). Alignment of equations will be enforced.
- Only use theorems and definitions from the relevant chapter, or earlier. This applies to retries as well.

General Reminders and Hints:

- 1. Don't ever use contractions in formal writing. Everything your English teachers taught you applies here.
- 2. Do not use symbols in place of words, nor words in place of symbols.
 - Bad: We see that x is \leq to 3.
 - Better: We see that $x \leq 3$.
 - Bad: The number from above is much greater than the number we just saw.
 - Better: Thus x is much greater than y.
- 3. Use LATEX's math-mode for every symbol, even if it is just a single letter, so use (x) for the variable x.
- 4. Vectors must be typeset differently: $(\langle vec{v} \rangle)$ or $(\langle mathbf{v} \rangle)$.
- 5. "A 3×4 matrix" can be accomplished with (3\times 4\), not with the letter "x".
- 6. \usepackage{amsmath} and \usepackage{amssymb} are necessary in the preamble to enable many extra mathematical commands.

7. For a matrix try

```
A=\begin{bmatrix}\\a & b & c & d \\ e & f & g & h \\ i & j & k & \ell \\ \end{bmatrix} \\ to get A = \begin{bmatrix} a & b & c & d \\ e & f & g & h \\ i & j & k & \ell \end{bmatrix}
```

8. For a proof with reasons try

to get

$$x^{2} - y^{2} = x^{2} - xy + xy - y^{2}$$

$$= x(x - y) + y(x - y)$$

$$= (x + y)(x - y)$$
Distribute $x - y$

9. When your LATEX gets super-complicated and has errors in it, "comment-out" every line of the offending region by using a percent-sign (%) at the start of the line, until the errors go away. This will make the line a "comment" that LATEX will not process. Then slowly add back in new lines until the error surfaces and you can pinpoint just where.

- First due: Monday, February 1, before the start of class. Late submissions are not accepted.
- Failure to follow the directions below can result in an automatic retry with no comments.
- As a graded assignment, this is your own work.
 (1) No discussions of any kind with any other students or anybody else. (2) All writing is your own. (3) FCLA source may be read for LATEX help, but content may not be used. (4) I will not assist you with preparing your work, but will provide extensive feedback. (5) Re-read in the Academic Handbook about Academic Integrity if you are unsure what any of this means.
- Retry: submit a complete, new version. Reassemble: cover sheet with my comments on top, **your current retry next**, then your previous work **in reverse chronological order**.
- A retry that makes no new progress, or that ignores substantial corrections or repeated hints, will become a No Pass.
- Review more detailed instructions distributed with these cover sheets.

SLE-1 (Section HSE)

Suppose that the coefficient matrix of a homogeneous system of equations has a column of zeros. Prove that the system has infinitely many solutions.


Hint: What are the possibilities for the number of solutions to a linear system of equations? Can you definitively rule out any of these?

| Staple | Name | LaTeX Symbols | Example Only | No New Progress |
|-----------|-------|---------------|------------------|-----------------|
| One-Sided | Order | Vectors | Comments Ignored | Late |

- First due: Monday, February 1, before the start of class. Late submissions are not accepted.
- Failure to follow the directions below can result in an automatic retry with no comments.
- As a graded assignment, this is your own work.
 (1) No discussions of any kind with any other students or anybody else. (2) All writing is your own. (3) FCLA source may be read for LATEX help, but content may not be used. (4) I will not assist you with preparing your work, but will provide extensive feedback. (5) Re-read in the Academic Handbook about Academic Integrity if you are unsure what any of this means.
- Retry: submit a complete, new version. Reassemble: cover sheet with my comments on top, **your current retry next**, then your previous work **in reverse chronological order**.
- A retry that makes no new progress, or that ignores substantial corrections or repeated hints, will become a No Pass.
- Review more detailed instructions distributed with these cover sheets.

SLE-2 (Section NM)

Suppose that $A = \begin{bmatrix} a & b \\ c & d \end{bmatrix}$ is a 2 × 2 matrix where $ad - bc \neq 0$. Prove that A is nonsingular. Hints: An example will not constitute a proof. One approach to a proof is to consider two general cases, a = 0 and $a \neq 0$. No matter what approach you choose, make sure you are never ever dividing by a variable quantity that could be zero.



DO NOT WRITE ON THIS SHEET

- First due: Tuesday, February 16, before the start of class. Late submissions are not accepted.
- Failure to follow the directions below can result in an automatic retry with no comments.
- As a graded assignment, this is your own work.
 (1) No discussions of any kind with any other students or anybody else. (2) All writing is your own. (3) FCLA source may be read for LATEX help, but content may not be used. (4) I will not assist you with preparing your work, but will provide extensive feedback. (5) Re-read in the Academic Handbook about Academic Integrity if you are unsure what any of this means.
- Retry: submit a complete, new version. Reassemble: cover sheet with my comments on top, **your current retry next**, then your previous work **in reverse chronological order**.
- A retry that makes no new progress, or that ignores substantial corrections or repeated hints, will become a No Pass.
- Review more detailed instructions distributed with these cover sheets.


V-1 (Section VO)

Prove Property AAC of Theorem VSPCV. That is:

If $\mathbf{u}, \mathbf{v}, \mathbf{w} \in \mathbb{C}^m$, then $\mathbf{u} + (\mathbf{v} + \mathbf{w}) = (\mathbf{u} + \mathbf{v}) + \mathbf{w}$.

Write your own proof in the style of proofs of Property DSAC (Theorem VSPCV) and Property CC (Solution VO.T13).

Hints: Think carefully about the two types of equality you will likely use in a proof. A successful proof will likely conclude with an appeal to Definition CVE.



DO NOT WRITE ON THIS SHEET

- First due: Tuesday, February 16, before the start of class. Late submissions are not accepted.
- Failure to follow the directions below can result in an automatic retry with no comments.
- As a graded assignment, this is your own work.
 (1) No discussions of any kind with any other students or anybody else. (2) All writing is your own. (3) FCLA source may be read for LATEX help, but content may not be used. (4) I will not assist you with preparing your work, but will provide extensive feedback. (5) Re-read in the Academic Handbook about Academic Integrity if you are unsure what any of this means.
- Retry: submit a complete, new version. Reassemble: cover sheet with my comments on top, **your current retry next**, then your previous work **in reverse chronological order**.
- A retry that makes no new progress, or that ignores substantial corrections or repeated hints, will become a No Pass.
- Review more detailed instructions distributed with these cover sheets.

V-2 (Section LI)

Prove that the set of standard unit vectors (Definition SUV) is linearly independent.

Hints: There are several ways to do this, some easier than others. If you choose an approach that claims two matrices are equal, then you must establish that equality very carefully (how do we do that?). In other approaches, be very careful that the hypotheses of any theorems you use are satisfied.

| Staple | Name | LaTeX Symbols | Example Only | No New Progress |
|-----------|-------|---------------|------------------|-----------------|
| One-Sided | Order | Vectors | Comments Ignored | Late |

- First due: Monday, March 8, before the start of class. Late submissions are not accepted.
- Failure to follow the directions below can result in an automatic retry with no comments.
- As a graded assignment, this is your own work.
 (1) No discussions of any kind with any other students or anybody else. (2) All writing is your own. (3) FCLA source may be read for LATEX help, but content may not be used. (4) I will not assist you with preparing your work, but will provide extensive feedback. (5) Re-read in the Academic Handbook about Academic Integrity if you are unsure what any of this means.
- Retry: submit a complete, new version. Reassemble: cover sheet with my comments on top, **your current retry next**, then your previous work **in reverse chronological order**.
- A retry that makes no new progress, or that ignores substantial corrections or repeated hints, will become a No Pass.
- Review more detailed instructions distributed with these cover sheets.

M-1 (Section MM)

Suppose that A is an $m \times n$ matrix with a row where every entry is zero. Suppose that B is an $n \times p$ matrix. Prove that AB has a row where every entry is zero.

Hints: Theorem EMP should be useful, and you want to be explicit about which row of A has the zeros and which row of AB has the zeros. Which row is all zeros? Does it have a name?

It is highly unlikely you can prove this without relying heavily on symbols and equations.

| Staple | Name | LaTeX Symbols | Example Only | No New Progress |
|-----------|-------|---------------|------------------|-----------------|
| One-Sided | Order | Vectors | Comments Ignored | Late |

- First due: Monday, March 8, before the start of class. Late submissions are not accepted.
- Failure to follow the directions below can result in an automatic retry with no comments.
- As a graded assignment, this is your own work.
 (1) No discussions of any kind with any other students or anybody else. (2) All writing is your own. (3) FCLA source may be read for LATEX help, but content may not be used. (4) I will not assist you with preparing your work, but will provide extensive feedback. (5) Re-read in the Academic Handbook about Academic Integrity if you are unsure what any of this means.
- Retry: submit a complete, new version. Reassemble: cover sheet with my comments on top, **your current retry next**, then your previous work **in reverse chronological order**.
- A retry that makes no new progress, or that ignores substantial corrections or repeated hints, will become a No Pass.
- Review more detailed instructions distributed with these cover sheets.

M-2 (Section MM)

Use Theorem EMP to prove part (2) of Theorem MMIM: If A is an $m \times n$ matrix and I_m is the identity matrix of size m, then $I_m A = A$.

Hint: Carefully studying the proof of part (1) of Theorem MMIM would be a good way to start.

| Staple | Name | LaTeX Symbols | Example Only | No New Progress |
|-----------|-------|---------------|------------------|-----------------|
| One-Sided | Order | Vectors | Comments Ignored | Late |

- First due: Tuesday, March 23, before the start of class. Late submissions are not accepted.
- Failure to follow the directions below can result in an automatic retry with no comments.
- As a graded assignment, this is your own work.
 (1) No discussions of any kind with any other students or anybody else. (2) All writing is your own. (3) FCLA source may be read for LATEX help, but content may not be used. (4) I will not assist you with preparing your work, but will provide extensive feedback. (5) Re-read in the Academic Handbook about Academic Integrity if you are unsure what any of this means.
- Retry: submit a complete, new version. Reassemble: cover sheet with my comments on top, **your current retry next**, then your previous work **in reverse chronological order**.
- A retry that makes no new progress, or that ignores substantial corrections or repeated hints, will become a No Pass.
- Review more detailed instructions distributed with these cover sheets.

VS-1 (Section S) Give an example of using Theorem TSS by proving that $W = \begin{cases} \begin{vmatrix} x_1 \\ x_2 \\ x_3 \\ x_4 \end{vmatrix} = 5x_1 + 3x_2 - 8x_3 + 2x_4 = 0 \end{cases}$ is a subspace of \mathbb{C}^4 .

| Staple | Name | LaTeX Symbols | Example Only | No New Progress |
|-----------|-------|---------------|------------------|-----------------|
| One-Sided | Order | Vectors | Comments Ignored | Late |

- First due: Tuesday, March 23, before the start of class. Late submissions are not accepted.
- Failure to follow the directions below can result in an automatic retry with no comments.
- As a graded assignment, this is your own work.
 (1) No discussions of any kind with any other students or anybody else. (2) All writing is your own. (3) FCLA source may be read for LATEX help, but content may not be used. (4) I will not assist you with preparing your work, but will provide extensive feedback. (5) Re-read in the Academic Handbook about Academic Integrity if you are unsure what any of this means.
- Retry: submit a complete, new version. Reassemble: cover sheet with my comments on top, **your current retry next**, then your previous work **in reverse chronological order**.
- A retry that makes no new progress, or that ignores substantial corrections or repeated hints, will become a No Pass.
- Review more detailed instructions distributed with these cover sheets.

VS-2 (Section PD)

Carefully read Exercise PD.T60 and its solution (Solution PD.T60). Prove the "more general" result given in the solution, using the book's solution as a model.

| Staple | Name | LaTeX Symbols | Example Only | No New Progress |
|-----------|-------|---------------|------------------|-----------------|
| One-Sided | Order | Vectors | Comments Ignored | Late |

- First due: Friday, April 9, before the start of class. Late submissions are not accepted.
- Failure to follow the directions below can result in an automatic retry with no comments.
- As a graded assignment, this is your own work.
 (1) No discussions of any kind with any other students or anybody else. (2) All writing is your own. (3) FCLA source may be read for LATEX help, but content may not be used. (4) I will not assist you with preparing your work, but will provide extensive feedback. (5) Re-read in the Academic Handbook about Academic Integrity if you are unsure what any of this means.
- Retry: submit a complete, new version. Reassemble: cover sheet with my comments on top, **your current retry next**, then your previous work **in reverse chronological order**.
- A retry that makes no new progress, or that ignores substantial corrections or repeated hints, will become a No Pass.
- Review more detailed instructions distributed with these cover sheets.

E-1 (Section IS)

Suppose that A is a square matrix, and W is an A-invariant subspace with dimension 1. Prove that if $\mathbf{x} \in W$ then either $\mathbf{x} \in \mathcal{N}(A)$ or \mathbf{x} is an eigenvector of A.


| Staple | Name | LaTeX Symbols | Example Only | No New Progress |
|-----------|-------|---------------|------------------|-----------------|
| One-Sided | Order | Vectors | Comments Ignored | Late |

- First due: Friday, April 9, before the start of class. Late submissions are not accepted.
- Failure to follow the directions below can result in an automatic retry with no comments.
- As a graded assignment, this is your own work.
 (1) No discussions of any kind with any other students or anybody else. (2) All writing is your own. (3) FCLA source may be read for LATEX help, but content may not be used. (4) I will not assist you with preparing your work, but will provide extensive feedback. (5) Re-read in the Academic Handbook about Academic Integrity if you are unsure what any of this means.
- Retry: submit a complete, new version. Reassemble: cover sheet with my comments on top, **your current retry next**, then your previous work **in reverse chronological order**.
- A retry that makes no new progress, or that ignores substantial corrections or repeated hints, will become a No Pass.
- Review more detailed instructions distributed with these cover sheets.

E-2 (Section EE)

Suppose that A is a matrix that is equal to its inverse, $A = A^{-1}$. Prove that the only possible eigenvalues of A are $\lambda = 1$ and $\lambda = -1$. Give an example of matrix that is equal to its inverse and actually has both of these possible values as eigenvalues.

Hints: Theorem EIM says that if λ is an eigenvalue of A, then λ^{-1} is an eigenvalue of A^{-1} . The hypothesis that $A = A^{-1}$ does not allow you to *immediately* conclude that $\lambda = \lambda^{-1}$. Also, Theorem EIM makes no statements about eigenvectors. However, you might study the proof of Theorem EIM for useful techniques. If you are tempted to "cancel" a vector, you need a theorem to back it up.



DO NOT WRITE ON THIS SHEET


- First due: Tuesday, April 20, before the start of class. Late submissions are not accepted.
- Failure to follow the directions below can result in an automatic retry with no comments.
- As a graded assignment, this is your own work.
 (1) No discussions of any kind with any other students or anybody else.
 (2) All writing is your own.
 (3) FCLA source may be read for LATEX help, but content may not be used.
 (4) I will not assist you with preparing your work, but will provide extensive feedback.
 (5) Re-read in the Academic Handbook about Academic Integrity if you are unsure what any of this means.
- Retry: submit a complete, new version. Reassemble: cover sheet with my comments on top, **your current retry next**, then your previous work **in reverse chronological order**.
- A retry that makes no new progress, or that ignores substantial corrections or repeated hints, will become a No Pass.
- Review more detailed instructions distributed with these cover sheets.

LT-1 (Section LT)

Prove that the function

$$T: \mathbb{C}^3 \to \mathbb{C}^2, \quad T\left(\begin{bmatrix} x_1 \\ x_2 \\ x_3 \end{bmatrix} \right) = \begin{bmatrix} 2x_1 - x_2 + 5x_3 \\ 3x_1 + 8x_3 \end{bmatrix}$$

is a linear transformation.



DO NOT WRITE ON THIS SHEET

- First due: Tuesday, April 20, before the start of class. Late submissions are not accepted.
- Failure to follow the directions below can result in an automatic retry with no comments.
- As a graded assignment, this is your own work.
 (1) No discussions of any kind with any other students or anybody else. (2) All writing is your own. (3) FCLA source may be read for LATEX help, but content may not be used. (4) I will not assist you with preparing your work, but will provide extensive feedback. (5) Re-read in the Academic Handbook about Academic Integrity if you are unsure what any of this means.
- Retry: submit a complete, new version. Reassemble: cover sheet with my comments on top, **your current retry next**, then your previous work **in reverse chronological order**.
- A retry that makes no new progress, or that ignores substantial corrections or repeated hints, will become a No Pass.
- Review more detailed instructions distributed with these cover sheets.

LT-2 (Section IVLT)

Suppose $T: U \to V$ is a surjective linear transformation and dim $(U) = \dim(V)$. Prove that T is an invertible linear transformation. Write your proof in a style that mimics proofs in the textbook.

| Staple | Name | LaTeX Symbols | Example Only | No New Progress |
|-----------|-------|---------------|------------------|-----------------|
| One-Sided | Order | Vectors | Comments Ignored | Late |

- First due: Monday, May 3, before the start of class. Late submissions are not accepted.
- Failure to follow the directions below can result in an automatic retry with no comments.
- As a graded assignment, this is your own work.
 (1) No discussions of any kind with any other students or anybody else. (2) All writing is your own. (3) FCLA source may be read for LATEX help, but content may not be used. (4) I will not assist you with preparing your work, but will provide extensive feedback. (5) Re-read in the Academic Handbook about Academic Integrity if you are unsure what any of this means.
- Retry: submit a complete, new version. Reassemble: cover sheet with my comments on top, **your current retry next**, then your previous work **in reverse chronological order**.
- A retry that makes no new progress, or that ignores substantial corrections or repeated hints, will become a No Pass.
- Review more detailed instructions distributed with these cover sheets.

R-1 (Section MR)

Consider the two linear transformations,

$$T: M_{22} \to P_2, \qquad T\left(\begin{bmatrix} a & b \\ c & d \end{bmatrix}\right) = (2a - b + 3c + d) + (2b - c + 2d) x + (4a - 2b + 3c + d) x^2$$
$$S: P_2 \to \mathbb{C}^2, \qquad S\left(p + qx + rx^2\right) = \begin{bmatrix} 2p + q - 3r \\ 5p + 2q - 4r \end{bmatrix}$$

and the bases of M_{22}, P_2 and \mathbb{C}^2 (respectively)

$$B = \left\{ \begin{bmatrix} 1 & 1 \\ 1 & -1 \end{bmatrix}, \begin{bmatrix} 3 & 2 \\ 1 & -4 \end{bmatrix}, \begin{bmatrix} 2 & 3 \\ 3 & -4 \end{bmatrix}, \begin{bmatrix} -2 & -4 \\ -5 & 4 \end{bmatrix} \right\}$$
$$C = \left\{ 1 + x, -2 - 3x + x^2, -2 - 2x + x^2 \right\}$$
$$D = \left\{ \begin{bmatrix} 2 \\ 5 \end{bmatrix}, \begin{bmatrix} 1 \\ 3 \end{bmatrix} \right\}$$

Verify the conclusion of Theorem MRCLT. In other words, build the three matrix representations of T, S and $S \circ T$ individually and check that they are related by the matrix product as in the theorem.

| Staple | Name | LaTeX Symbols | Example Only | No New Progress |
|-----------|-------|---------------|------------------|-----------------|
| One-Sided | Order | Vectors | Comments Ignored | Late |

- First due: Monday, May 3, before the start of class. Late submissions are not accepted.
- Failure to follow the directions below can result in an automatic retry with no comments.
- As a graded assignment, this is your own work.
 (1) No discussions of any kind with any other students or anybody else. (2) All writing is your own. (3) FCLA source may be read for LATEX help, but content may not be used. (4) I will not assist you with preparing your work, but will provide extensive feedback. (5) Re-read in the Academic Handbook about Academic Integrity if you are unsure what any of this means.
- Retry: submit a complete, new version. Reassemble: cover sheet with my comments on top, **your current retry next**, then your previous work **in reverse chronological order**.
- A retry that makes no new progress, or that ignores substantial corrections or repeated hints, will become a No Pass.
- Review more detailed instructions distributed with these cover sheets.

R-2 (Section VR)

Let C be the crazy vector space from Section VS (Definition CVS). From Example DC, we know C has dimension 2. By Theorem CFDVS we can conclude that C must be isomorphic to \mathbb{C}^2 . Construct a function $T: \mathbb{C}^2 \to C$ that is a candidate for an isomophism between these two vector spaces by giving an *explicit* formula for T. Then give a convincing argument that T is indeed an isomorphism.

| Staple | Name | LaTeX Symbols | Example Only | No New Progress |
|-----------|-------|---------------|------------------|-----------------|
| One-Sided | Order | Vectors | Comments Ignored | Late |